

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013




Version number 195

Revision: 19.02.2013

* 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Road Tar Remover
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation** Degreasing agent
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Supreme Protective Coatings Ltd - Global Head Office
Unit 3-4 Newhall Road Industrial Estate, Sanderson Street
Sheffield
S9 2TW
United Kingdom
Tel.: +44 (0) 114 467 0070
E-Mail: info@supremecoat.com
- **Information department:** Product safety department.
- **Emergency telephone number:**
National Poison Inform. Centre - Great Britain
24 hours: +44 (171) 635 91 91

* 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
 -  **Xn; Harmful**
R65: Harmful: may cause lung damage if swallowed.
 -  **Xi; Irritant**
R38: Irritating to skin.
 -  **Xi; Sensitising**
R43: May cause sensitisation by skin contact.
 - R10-52/53-67: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
Has a narcotizing effect.
- **Classification system:**
The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials
- **Code letter and hazard designation of product:**
Xn Harmful
- **Hazard-determining components of labelling:**
Orange oil
Naphtha (petroleum), hydrodesulfurized heavy

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 1)

· Risk phrases:

- 10 Flammable.
- 38 Irritating to skin.
- 43 May cause sensitisation by skin contact.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 57 Use appropriate container to avoid environmental contamination.











· Special labelling of certain preparations:

Restricted to professional users.

· Other hazards**· Results of PBT and vPvB assessment** Not applicable.**· PBT:** Not applicable.**· vPvB:** Not applicable.

* 3 Composition/information on ingredients

· Chemical characterization: Mixtures**· Description:** Mixture of the substances listed below with nonhazardous additions.**· Dangerous components:**

CAS: 8028-48-6 EINECS: 232-433-8	Orange oil  Xn R65;  Xi R38;  Xi R43;  N R50/53 R10	25<50%
CAS: 64742-82-1 EINECS: 265-185-4	Naphtha (petroleum), hydrodesulfurized heavy  Xn R65;  N R51/53 R10-66-67	25<50%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol  Xi R36	5<10%
CAS: 26635-93-8	Polyoxyethylene Oleylamine Ether  Xn R22;  Xi R41;  N R50/53	0.2<1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

· Additional information

Content of benzene and 1,3-butadiene are smaller than 0.1%. The notes J, K and P are valid. The R45 phrase is not necessary.

For the wording of the listed risk phrases refer to section 16.

* 4 First aid measures

· Description of first aid measures**· After inhalation**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact Immediately wash with water and soap and rinse thoroughly.**· After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.**· After swallowing** If symptoms persist consult doctor.**· Information for doctor****· Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

* 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**



Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Use only in well ventilated areas.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 3)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.

- **Protection of hands:**

Protective gloves.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

PVA gloves

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- **Eye protection:** Tightly sealed goggles.

* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Colour: Dark yellow

- **Odour:** Characteristic

- **Odour threshold:** Not determined.

- **pH-value:** Void

- **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: 140 °C

- **Flash point:** 39 °C

- **Flammability (solid, gaseous)** Not applicable.

- **Ignition temperature:** 225 °C

- **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 4)

· Self igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	8.0 Vol %
· Vapour pressure at 20 °C:	7 hPa
· Density at 20 °C:	0.819 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic at 20 °C:	10 s (DIN 53211/4)
Organic solvents:	55.1 %
VOC (EC)	451.1 g/l
· Other information	No further relevant information available.

* 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy		
Oral	LD50	>6500 mg/kg (rat)
Inhalative	LC50/4 h	>14 mg/l (rat)
26635-93-8 Polyoxyethylene Oleylamine Ether		
Oral	LD50	>2000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

Irritant


(Contd. of page 5)

* 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
The product does not contain organically bounded halogens (AOX-free).
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

14 00 00	WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)
14 06 00	waste organic solvents, refrigerants and foam/aerosol propellants
14 06 03*	other solvents and solvent mixtures

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

* 14 Transport information

· UN-Number	
· ADR, IMDG, IATA	UN1993
· UN proper shipping name	
· ADR	1993 FLAMMABLE LIQUID, N.O.S., special provision 640E (Naphtha (petroleum), hydrodesulfurized heavy, Orange oil), ENVIRONMENTALLY HAZARDOUS
· IMDG	FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrodesulfurized heavy, Orange oil), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrodesulfurized heavy, Orange oil)

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 6)

· Transport hazard class(es)	
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG	
· Class	3 Flammable liquids.
· Label	3
· IATA	
· Class	3 Flammable liquids.
· Label	3
· Packing group	
· ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	30
· EMS Number:	F-E, S-E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S., 3, III

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Markings according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials
- **Code letter and hazard designation of product:**
Xn Harmful

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2013

Version number 195

Revision: 19.02.2013

Trade name: Road Tar Remover

(Contd. of page 7)

· Hazard-determining components of labelling:

Orange oil

Naphtha (petroleum), hydrodesulfurized heavy

· Risk phrases:

10 Flammable.

38 Irritating to skin.

43 May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

57 Use appropriate container to avoid environmental contamination.

· Special labelling of certain preparations:

Restricted to professional users.

· Technical instructions (air):

Class	Share in %
NK	50-100

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.**· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Text of risk phrases associated with ingredients in section 3

R10 Flammable.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

· Department issuing MSDS: Environment protection department.**· Contact: Chem. Laboratorium****· Abbreviations and acronyms:**

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

IATA: International Air Transport Association

DOT: US Department of Transportation

IMDG: International Maritime Code for Dangerous Goods

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

· * Data compared to the previous version altered.